

Creating innovative solutions since 1950, HATCO is an American brand specializes in top quality of commercial foodservice equipment. Some of the products are toasters, food warmers, decorative heated lamps and carving stations, heated plates and cold plates, and other kinds of holding equipment. Hatco is dedicated to exceptional customer service and quality engineered equipment offering maximum performance.



IWRM-CD1

Countertop Induction Warmer
Dimension 330 x 450 x 57 mm
Volt 230/1/50, E. Pow. 0.50 kW



*Chafing dish not included with the induction warmers



Back of 3 interconnected units

Hatco's patented Palletti® Countertop Professional Induction Warmers offer a safe, efficient and attractive way to keep hot foods hot. Perfect for serving applications such as buffet lines and hospitality suites. The warmer has five simple and precise settings, which allow for a wide variety of foods to be held both safely and at optimum quality. The units are also memory retentive, so once turned off and back on, the last setting will resume. This unit has a low-profile and ultra-thin design in all black, so the focus remains on the food rather than the equipment.

Low wattage warmers which can be interconnected with multiple units to one electrical outlet resulting in great energy efficiency and a simple cord management system. 3 units able to be interconnected in a daisy chain.

HW-FUL

Countertop Bain Marie / Heated Well
Dim. 370 x 607 x 248 mm
Volt. 230/1/50, E. Pow. 1.20 kW



- Controls feature a separate lighted On/Off rocker switch and adjustable temperature dial
- May be used dry but best performance when used with water. Dry indicator lamp informs user to add water
- Thicker 1 mm stainless steel pan with a stainless steel housing (aluminized steel bottom)
- Pan edge offset helps keep condensation from dripping onto countertop surface



GM5AH-30

Strip Heater 30"
Dim. 762 x 150 x 51 mm
Volt. 230/1/50,
E. Pow. 660 Watt

*GM5AH series is without lighting



Sleek Curved Design

*picture shows GM5AHL series with lighting



RHW-1

Soup Kettle / Round Heated Well
Capacity 10 Liter
Dim. 359 x 330 x 343 mm
Volt. 230/1/50, E. Pow. 1.30 kW



RCTHW-1

Bain Marie / Heated Well
Capacity 1 x GN1/1
Dim. 368 x 611 x 282 mm
Volt. 230/1/50, E. Pow. 3.00 kW



RCTHW-6

Pasta Cooker / Heated Well
Capacity 1 x GN1/1
Dim. 368 x 610 x 282 mm
Volt. 230/1/50, E. Pow. 6.00 kW



RHW-1B

Built-in Soup Kettle / Round Heated Well
Capacity 10 Liter
Dim. 360 x 330 x 330 mm
Volt. 230/1/50, E. Pow. 1.30 kW



RCTHW-1B

Built-in Bain Marie / Heated Well
Capacity 1 x GN1/1
Dim. 368 x 582 x 226 mm
Volt. 230/1/50, E. Pow. 3.00 kW




RCTHW-6B

Built-in Pasta Cooker / Heated Well
Capacity 1 x GN1/1
Dim. 390 x 610 x 286 mm
Volt. 230/1/50, E. Pow. 6.00 kW

RCHTW Accessories Sets:



RCHTW Soup Kettle Adapter Set



RCTHW-SK
Soup Kettle Adapter

RCTHW-7Q




RCHTW Steamer Plate Adapter Set



RCTHW-SP
Steamer Plate Adapter



RCHTW Pasta Cooker Adapter Set



RCTHW-PC
Pasta Cooker Adapter

RCTHW-BASKET



TM-10H

Conveyor Toaster
360 slices/hour
Dim. 368 x 416 x 387 mm
Volt. 230/1/50, E. Pow. 1.90 kW



TM-5H

Conveyor Toaster
180 slices/hour
Dim. 290 x 416 x 387 mm
Volt. 230/1/50, E. Pow. 1.30 kW



TM3-10H

Conveyor Toaster
360 slices/hour
Dim. 368 x 464 x 411 mm
Volt. 230/1/50, E. Pow. 2.30 kW
Available in Stainless, Black, and Red Colour



TPT-230-4

Pop-Up Toaster
4 slots capacity
Dim. 346 x 313 x 204 mm
Volt. 230/1/50, E. Pow. 2.50



GMFFL

French Fries Warmer with Light and Top Heat
Cap. GN1/1 Pan
Dim. 329 x 644 x 445 mm
Volt. 230/1/50, E. Pow. 610 Watts



HGSM-4060

Countertop Heated Shelf
Dim. 400 x 600 x 58 mm
Volt. 230/1/50, E. Pow 327 Watts



DL-Series

Decorative Heated Lamp
Available in different lamp design
Available in colour options



HDM-2

Drawer Warmer 2 Deck
Dim. 749 x 576 x 614 mm
Volt. 230/1/50, E. Pow. 948 Watts
Includes 2 full-size S/S 150 mm food pans
Available with built-in version



GMHDDH-3PT

Heated Showcase 3 Tiers with Heat & Humidity Control
Dim. 670 x 464 x 757 mm
Volt. 230/1/50, E. Pow. 1.52 kW



TMS-1H

Electric Salamander
Dim. 600 x 511 x 517 mm
Volt. 230/1/50, E. Pow. 4.00 kW
Includes grill, drip pan, and wall-mounting bracket



IRNG-PC1-36

Countertop Induction Cooker
Dim. 352 x 471 x 94 mm
Volt. 230/1/50, E. Pow. 3.6 kW
Programmable, precise control (1-100 power level), with USB port including a food temperature probe



IRNG-PB1-36

Built-in Induction Cooker
Dim. 343 x 368 x 91 mm
Volt. 230/1/50, E. Pow. 3.6 kW
Programmable, precise control (1-100 power level), with USB port including a food temperature probe



*GRAH top view



*GRAH bottom view

GRAH-24

Strip Heater 24"
Dim. 610 x 152 x 64 mm
Volt. 230/1/50, E. Pow. 500 Watts

GRAH-36

Strip Heater 36"
Dim. 914 x 152 x 64 mm
Volt. 230/1/50, E. Pow. 800 Watts

GRAH-48

Strip Heater 36"
Dim. 1219 x 152 x 64 mm
Volt. 230/1/50, E. Pow. 1.10 kW



GRCSC LH-24

Carving Station with Base Heat
Dim. 660 x 711 x 572-724 mm
Volt. 220/1/50, E. Pow. 1.32 kW
Picture shows sneeze guard, drip pan and cutting board



DCSB400-R24-1

Decorative Carving Station with Base Heat
Dim. 660 x 678 x 864-1168 mm
Volt. 220/1/50, E. Pow. 794 Watts
Picture shows with standard Night Sky heated base and optional Antique Bronze post and shade



FSHC-6W1

Holding Cabinet 1 Glass Door
Dim. 645 x 751 x 816 mm
Volt. 230/1/50, E. Pow. 1.69 kW
Adjustable humidity and temperature control, digital emperature readout, insulated side walls, field reversible glass door, large swivel casters with lock



TQ-400

Conveyor Toaster
360 slices/hour
Dim. 368 x 451 x 378 mm
Volt. 230/1/50, E. Pow. 2.21 kW
Instant and precise adjustment of toast color with electronic infinite controls for top and bottom heat



CSSB-Series

Built-in Cold Simulated Stone Shelves
Various sizes available
Stone colour option available



GRSSB-Series

Built-in Heated Simulated Stone Shelves
Various sizes available



HDW-1

Drawer Warmer 1 Deck
Dim. 749 x 575 x 279 mm
Volt. 240/1/50, E. Pow. 450 Watts



3CS-6BSSBB

Sanitizing Sink Heater
Dim. 203 x 435 x 321 mm
Volt. 380/3/50, E. Pow. 6 kW



C-36

Compact Electric Booster Water Heater
Dim. 457 x 775 x 457 mm
Volt. 380/3/50, E. Pow. 35 kW



C-54

Compact Electric Booster Water Heater
Dim. 457 x 775 x 457 mm
Volt. 380/3/50, E. Pow. 54 kW