

## Stagionello® - THE PROFESSIONAL DRY-AGING WITH A CLICK

The refrigerator has evolved into an amazing storage cabinet! Stagionello Dry-Age 3.0 with pH-indicator is the first patented device for professional dry-aging. The revolutionary drop-weight management systems and unique pH detection and monitoring function of Stagionello Dry-Age 3.0 allow for continuous food-safe chilling, drying, and storage. a system that is entirely built, 100% made in Italy, and 100% built of AISI 304 stainless steel inside and outside, combine tradition, culture, superior quality, and masterful craftsmanship to provide a tool for the authentic dry-aging.

## THE PROFESSIONAL DRY-AGING WITH A CLICK


The refrigerator has evolved into an amazing storage cabinet! Stagionello® Dry-Age 3.0 with pH-indicator is the first patented device for professional dry-aging.

Multifunctional display cabinets that are intended to naturally preserve fresh or dry-aged goods for an extended period of time. To improve professionals' experience, an attractive and elegant design is offered in three different capacities and three distinct display versions.

The revolutionary drop-weight management systems and unique pH detection and monitoring function of Stagionello Dry-Age 3.0 allow for continuous food-safe chilling, drying, and storage.




A system that is entirely built, 100% made in Italy, and 100% built of AISI 304 stainless steel inside and outside, combines tradition, culture superior quality, and masterful craftsmanship to provide a tool for the authentic dry-aging.

### MEAT OR FISH? with Stagionello® Dry Age 3.0 ALL IN ONE!







## PROGRAM STAGIONELLO 3.0



-  pH-metric system for continuous reading and monitoring of alkaline and acid pH alarm.
-  Dry-Age control 3.0 for profesional dry aging.
-  4 integrated dry-age climatic recipes for meat or fish + 1 custom
- 4 integrated fresh meat or fish programs + 1 custom

## ALL IN ONE



-  Temperature range inside from -3 deg. to +30 deg.
-  Humidity setting from 30% to 99%
-  Adjustable ventilation speed
-  pH-metric system for continuous reading and monitoring of alkaline and acid pH alarm.



## Plug In Line



700 L



900 L



1400 L



1400 L TWIN



8000 L



12000 L

Model	Dimension	Capacity (L)	Max Rated Capacity (Kg)	E. Power (Ph / kW)	Voltage
700 L	730 x 785 x 2000	700	150	0.75	230/1/50
900 L	905 x 785 x 2000	900	225	1.18	230/1/50
1400 L	1465 x 785 x 2000	1400	450	1.18	230/1/50
1400 L TWIN	1465 x 785 x 2000	700 + 700	150 + 150	1.50	230/1/50
8000 L	2550 x 1750 x 2565	8000	780	10.00	400/3/50
12000 L	2550 x 2550 x 2565	12000	1320	10.00	400/3/50

### STANDARD FEATURES

- Temperature Range: -3°C - 35°C
- Humidity: 30% - 99% RH
- pH monitoring and reading: optional for 700 - 1400 L models, standard for 8000 - 12000 L
- External color option: INOX (SUS304) BLACK (black plasticized)
- Glass view: 1 glass door in front as standard (2 glasses front and back or 4 glasses all sides as optional)



2 glasses front and back or 4 glasses all sides as optional



Color option INOX (SUS304)

